MARED-Industrie

BUY · SELL · USED INDUSTRIAL MACHINERY

MARED-Industrie
Dorfstr. 46 - 48
D-86441
Steinekirch/Zusmarshausen

Tel.: +49 - 8291- 6279675
Fax.: 08921 - 8599 319
Mobil: +49 -176 777 77977
info@mared-industrie.de

Interne Nummer: R-1833

Technisches Datenblatt: Stromaggregat: Enterprise Line, 4500

(Irrtümer und Zwischenverkauf vorbehalten)

ALLGEMEINE MASCHINENDATEN	
Hersteller	Enterprise Line
Typ	4500
Karosserie	Stromaggregat AL
Baujahr	2008

TECHNISCHE DATEN	
ALLGEMEINE MASCHINENDATEN	
Bauart	Generator
Leergewicht	67 kg
Farbe	schwarz
GESAMTMASSE	
Länge	600
Höhe	520
Breite	460
MOTOR/GETRIEBE	
Antriebsart	Benzin
Anzahl Zylinder	1
Leistung in KW	6
Leistung in PS	8
ANGABEN AGGREGAT	
Leistung in kVA	8
MASSE BEI EINBAU IN CONTAINER	
Länge	600

TECHNISCHE DATEN	
Breite	460
Höhe	520

PRODUKT	
Produkttyp	Stromaggregat

BESCHREIBUNG	
Beschreibung	Inkl. Räder,

GALERIE














SILENTED PERFORMANCES
ELECTRIC START
ENTERPRISE LINE 4500


ELECTRONIC IGNITION
7.5HP



OHV


CE
ROHS
SILENTED PERFORMANCES
ELECTRIC START



WARNING
Check that there is no any fuel spilling or fuel leakage. Filling fuel before stalling the engine is forbidden.



ENG. SW.
RUN
OFF
VOLTMETER
V



AC 230V
AC 230V
AC 380V


CIRCUIT BREAKER
ON
DC12V 8.3A
LiTAI
DZ47-63
FUSE


ENTERPRISE LINE 4500
GENERATORE BENZINA
ENG. SW.
VOLTMETER
AC 230V
AC 230V
AC 230V
CIRCUIT BREAKER
DC12V 8.3A




HONGDA
Rechargeable Battery
6MF—10 (12V10Ah/20HR)
The battery with sealling-controller needs no water supply and no Maintenance, do not let the battery short circuit
After leaving factory the wet loaded battery in storage should be recharged every three mouths
Charge time: 1.0A X 10h
Rapid charge: 1.5AX 5h
Charge voltage:13.6-14.8V
KEEP AWAY FROM THE REACH OF CHILDREN


HONGDA
Rechargeable Battery
6MF—10 (12V10Ah/20HR)




HONGDA
Rechargeable Battery
10 (12V10Ah/20HR)
Charge time: 1.0A X 10h
Rapid charge: 1.5AX 5h